



APPLICATION FIELDS

- STEEL
- CEMENT
- MINING
- SUGAR
- MARINE
- PETROCHEMICAL































RANGE DIMENSIONS

EXTERNAL TEETH

Min diameter ø 100 mm Max diameter ø 6.000 mm Max modul 120 mm

INTERNAL TEETH

Min diameter ø 100 mm Max diameter ø 3.500 mm Max modul 36 mm

TEETH / GRINDING GLEASON BEVEL GEAR

Min diameter ø 100 mm Max diameter ø 800 mm Max modul 18 mm

TEETH / GRINDING KLINGERNBERG BEVEL GEAR

Min diameter ø 500 mm
Max diameter ø 1.600 mm
Min modul 12 mm
Max modul 45 mm

GRINDING EXTERNAL TEETH

Min diameter ø 50 mm Max diameter ø 6.000 mm Max modul 60 mm

GRINDING INTERNAL TEETH

Min diameter ø 200 mm Max diameter ø 3.400 mm Max modul 36 mm















OTHER SERVICES

- REVERSE ENGINEERING
- VIBRATION ANALYSES
- ENDOSCOPIC CHECKS
- SERVICING AND UPGRADES









BFT DRIVES S.r.I

Strada Provinciale Alle Valli, 20 24048 Treviolo (BG) • Italy

> ph: +39 349 6569292 ph: +39 345 3013365

> ph: +39 340 8142428

mail: bft@bft-drives.it web: www.bft-drives.it